

MaxComm

3G Cordless Phone MW-388

Technical Specification



MaxComm Co., Ltd

Features:

1. 3G WCDMA 900/2100, 850/2100 or 850/1900MHz optional;
Compatible 2G GSM 850/900/1800/1900MHz;
2. Support high quality voice (speech encoding FR, EFR, HR, AMR);
3. Support emergency call, redial, speed dial;
4. Call forwarding, call waiting, call hold, conference call;
5. Two Way SMS, Voice Mail and caller ID;
6. Large phone book: store 300PCS telephone numbers;
7. DTMF dialing;
8. Ring and voice volume adjustable;
9. Chord ring tone optional;
10. 128 x 64 dot matrix LCD display with backlight; LCD display date, time, signal strength and battery volume status icons;
11. Can save, check, delete and call back incoming, outgoing and missed calls;
12. Rechargeable Lithium back up battery optional;
13. Portuguese/Spanish/Russia/Thailand/Arabic/French/English/Chinese optional;
14. SIM card interface: standard 6 PIN SIM card interface;
15. Charge spec: a variety of specifications for selection;
16. Lock card, lock national call, lock phone;
17. Default IP function optional;
18. GPRS Internet data service: Support CSD and GPRS class 10/8;
Connect PC by Mini USB port;
19. Software upgrade socket;
20. Handsfree;
21. Color LCD display;

Technical Specifications:

1. Normal operation temperature: -30 ---70C;
Restricted operation temperature: -30 ---80C;
Storage temperature: -40---85C;
2. Environment noise: below 60dB;
3. SIM Card: 1.8V/ 3V;
4. Channel interval: 200 KHz;
5. Receive sensitivity: <-100dBm;
6. Relative humidity: 45%~95%;
7. Atmosphere pressure: 86~106Kpa;
8. AC-Adapter interface: Input: AC 110~240VAC; 50~60Hz; Output: 5DC 1A;
9. AC-Adapter type: EU,US, AU,UK etc. optional;

10. Battery: 3.7V, 800mAH Li-ion rechargeable battery; Standby 100 hours, talking 3 hours subject to network signal strength;
11. Max power: 0.25W/0.5W;
12. Idle current: <30mA;
13. Working current: <400mA;
14. Sensitivity: -105dB;
15. Antenna amplifying: 3.5-12dB;
16. Color: Black, white, red etc. optional;

Display Resolution: 128*64 pixels;

LCD size: 1.77*1.77';

Model No.: MW-388;

Place of Origin: Shenzhen, China

Software upgrade: mini usb cable;

Packing:

3G Phone handset : 1pc

Charging Base: 1pc

AC Adapter: 1pc;

User manual: 1pc

Battery: 1pc,

20sets/ Carton;

Carton size: 40.5*35.5*23cm;

G.W.: 7Kgs/Carton;

1. Trade Terms: FOB, FCA, EXW, CIF etc.;
2. Payment Terms: T/T in advanced;
3. Payment Condition: 40% T/T deposit in advance, 60% T/T before delivery;
4. Delivery time: sample-within 3 ~5 days after payment, batch order up to order quantity;
5. Packing: each pc into box, 10~20pc/ctn;
6. Shipping: by sea, by air or by express delivery;